

EroPlace.pl WebAPI

Karo-Net.pl
Version 1.0
03.12.2015

Spis treści

Introduction.....	4
Functions Documentation.....	5
addToCartProduct (\$login, \$password, \$currency = "", \$lang = "", \$idProduct, \$sizes)	5
Parameters:.....	5
Returns:.....	5
doNewOrder (\$login, \$password, \$currency = "", \$lang = "", \$params)	5
Parameters:.....	5
Returns:.....	5
getAllProducts (\$login, \$password, \$currency = "", \$lang = "")	5
Parameters:.....	5
Returns:.....	5
getCategories (\$login, \$password, \$currency = "", \$lang = "")	5
Parameters:.....	5
Returns:.....	5
getCountries (\$login, \$password, \$currency = "", \$lang = "")	6
Parameters:.....	6
Returns:.....	6
getDeliveryTypes (\$login, \$password, \$currency = "", \$lang = "", \$countryId, \$dropshipping)	6
Parameters:.....	6
Returns:.....	6
getPayTypes (\$login, \$password, \$currency = "", \$lang = "")	6
Parameters:.....	6
Returns:.....	6
getOrder (\$login, \$password, \$currency = "", \$lang = "", \$idOrder)	6
Parameters:.....	6
Returns:.....	6
getOrders (\$login, \$password, \$currency = "", \$lang = "")	6
Returns:.....	6
getProductById (\$login, \$password, \$currency = "", \$lang = "", \$idProduct)	7
Parameters:.....	7
Returns:.....	7
getProductsByCategoryId (\$login, \$password, \$currency = "", \$lang = "", \$idCategory)	7
Parameters:.....	7
Returns:.....	7
setOrderToSend (\$login, \$password, \$currency = "", \$lang = "", \$idOrder)	7
Parameters:.....	7
Returns:.....	7
cancelOrder(\$login, \$password, \$currency = "", \$lang = "", \$idOrder)	7
Parameters:.....	7
Returns:.....	7
Examples.....	8
Make new order.....	8
Error codes.....	9

Introduction

EroPlace WebAPI is available on <http://eroplace.pl/webAPI/index.php?wsdl> This is made by SOAP technology. Currently WebAPI is available for all registered on website user. To log in you should use your username and password from website.

Below firstly we describe all methods available on API. Then are some examples of use. At the end of this documentation is table with error codes.

Functions Documentation

addToCartProduct (\$login, \$password, \$currency = '', \$lang = '', \$idProduct, \$quantity)

This method add product to cart

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account
int	\$idProduct	product ID
int	\$quantity	quantity of order product

Returns:

string

doNewOrder (\$login, \$password, \$currency = '', \$lang = '', \$params)

This method generate new order

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account
array	\$params	parameters of order (describe in examples at the end of this documentation)

Returns:

array order data

getAllProducts (\$login, \$password, \$currency = '', \$lang = '')

This method return list of all products. This method is not recommended. To get all products please use CSV or XML files available here: <https://en.eroplace.pl/tresc/xml-csv>

This method will be removed in the future.

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account

Returns:

array list of all products

getCategories (\$login, \$password, \$currency = '', \$lang = '')

This method return list of all categories with subcategories

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account

Returns:

array list of categories

getCountries (\$login, \$password, \$currency = '', \$lang = '')

This method return list of countries available on site

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account

Returns:

array

getDeliveryTypes (\$login, \$password, \$currency = '', \$lang = '', \$countryId, \$dropshipping)

This method return list of available delivery types for country

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account
int	\$countryId	country ID
int	\$dropshipping	1 - for dropshipping order, 0 for standard order

Returns:

array list of delivery types

getPayTypes (\$login, \$password, \$currency = '', \$lang = '')

This method return list of available pay types

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account

Returns:

array list of pay types

getOrder (\$login, \$password, \$currency = '', \$lang = '', \$idOrder)

This method return order

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account
int	\$idOrder	order ID

Returns:

array order data

getOrders (\$login, \$password, \$currency = '', \$lang = '')

This method return list of your orders

Returns:

array list of orders

getProductById (\$login, \$password, \$currency = '', \$lang = '', \$idProduct)

This method return product by product ID

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account
int	\$idProduct	product ID

Returns:

array product

getProductsByCategoryId (\$login, \$password, \$currency = '', \$lang = '', \$idCategory)

This method return products from category

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account
int	\$idCategory	

Returns:

array list of products

setOrderToSend (\$login, \$password, \$currency = '', \$lang = '', \$idOrder)

This method set dropshipping orders to send by order ID

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account
int	\$idOrder	order ID

Returns:

string

cancelOrder(\$login, \$password, \$currency = '', \$lang = '', \$idOrder)

This method cancel orders (only made form webAPI) by order ID

Parameters:

string	\$login	the same login which using on website
string	\$password	the same password which using on website
string	\$currency	default value is currency set in your account
string	\$lang	default value is language set in your account
int	\$idOrder	order ID

Returns:

boolean

Examples

Make new order

```
...
// after successfully add products to cart
// array of order parameters
$order['dropshipping'] = 1; // dropshipping or standard order
$order['dropshippingSendNow'] = 0; // send after order or wait for
confirm
$order['sentCountry'] = 171; // sent country ID
$order['payType'] = 3; // ID of paytype
$order['idDeliveryType'] = 31; // ID of delivery type
$order['contactPhone'] = '883372441';
$order['sentName'] = 'John';
$order['sentSurname'] = 'Smith';
$order['sentFirmname'] = 'Smith company'; // for Poczta Polska post
restante please type in name of Urzad Pocztowy
$order['sentAddress'] = 'test street 11/23';
$order['sentPostCode'] = '12-345';
$order['sentTown'] = 'Warszawa';
$order['comment'] = 'This is test order making by WebAPI'; //
additional information to seller
// $order['discount_code'] = ''; // if you have you can use a
discount coude

try {
    $client->doNewOrder('your_login', 'your_password', 'eur', 'en',
$order);
} catch (Exception $ex) {
    // catch the exception
    echo $ex->faultcode;
}
```

Error codes

Error code	Error description
101	Login error - username or password is incorrect
102	Login error - your account is not activated.
103	Login error - your account is blocked
104	Login error - to execute this method you have to login.
201	Cart error - stock of this product is to low.
202	Cart error - this product is not sale in party.
203	Cart error - stock of this product is to low.
301	Order error - your cart is empty.
302	Order error - your minimal shopping value is higher than value of your cart.
303	Order error - discount code is incorrect.
304	Order error - parameter dropshipping is not specifed.
305	Order error - parameter dropshipping value is incorrect.
306	Order error - parameter dropshippingSendNow is not specifed.
307	Order error - parameter dropshippingAddress is not specifed.
308	Order error - parameter sentCountry is not specifed.
309	Order error - parameter payType is not specifed.
310	Order error - parameter payType value is incorrect.
311	Order error - parameter idDeliveryType value is no specifed.
312	Order error - parameter idDeliveryType value is incorrect.
313	Order error - parameter contactPhone value is no specifed.
314	Order error - parameter sentName value is no specifed.
315	Order error - parameter sentSurname value is no specifed.
316	Order error - parameter sentFirmname value is no specifed.
317	Order error - parameter sentAddress value is no specifed.
318	Order error - parameter sentPostCode value is no specifed.
319	Order error - parameter sentTown value is no specifed.